

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO.	
10/065,678		11/07/2002	Mao-Ching Chiu	JCLA9038	9296
23900	7590	10/06/2006		EXAMINER	
J C PATEN 4 VENTURI			DSOUZA, JOSEPH FRANCIS A		
IRVINE, CA	•	230		ART UNIT PAPER NUMBER	
				2611	
				DATE MAILED: 10/06/2006	5

Please find below and/or attached an Office communication concerning this application or proceeding.

			28
	Application No.	Applicant(s)	
	10/065,678	CHIU ET AL.	
Office Action Summary	Examiner	Art Unit	
	Adolf DSouza	2611	
The MAILING DATE of this communical Period for Reply	tion appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAI - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communi - If NO period for reply is specified above, the maximum statut - Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNI 37 CFR 1.136(a). In no event, however, may a ication. ory period will apply and will expire SIX (6) MO I, by statute, cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this communicati BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed	on 25 July 2006.		
·— ·)⊠ This action is non-final.		
3) Since this application is in condition for closed in accordance with the practice	r allowance except for formal mat		is
Disposition of Claims			•
4) ⊠ Claim(s) <u>1-4,7-9 and 11-17</u> is/are pend 4a) Of the above claim(s) is/are 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-4,7-9 and 11-17</u> is/are reject 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction	withdrawn from consideration.		
Application Papers			
9) The specification is objected to by the E	Examiner.		
10) The drawing(s) filed on is/are: a	ı) ☐ accepted or b) ☐ objected to	by the Examiner.	
Applicant may not request that any objection	on to the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including th 11) The oath or declaration is objected to b			
Priority under 35 U.S.C. § 119			·
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority do 2. Certified copies of the priority do 3. Copies of the certified copies of application from the Internationa * See the attached detailed Office action for	ocuments have been received. Ocuments have been received in the priority documents have been all Bureau (PCT Rule 17.2(a)).	Application No n received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/25/2006.)-948) Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application 	

Application/Control Number: 10/065,678 Page 2

Art Unit: 2611

Response to Arguments

1. Applicant's explanation for the objection of claims 1-3 and 5 and for the rejection of claims 3, 4,13 and 17 have been accepted by the Examiner (Remarks, pages 9 – 11).

2. Applicant's arguments, see Remarks, page 12, last paragraph filed July 25, 2006, with respect to the rejection(s) of claim(s) 1 and 8 under 35 U.S.C. 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Lin et al. (Adaptive Nonlinear Decision Feedback Equalization with Channel Estimation and Timing Recovery in Digital Magnetic Recording Systems; IEEE Transactions on circuits and Systems, March 1995; which has been provided by the Applicant in his Information Disclosure Statement).

Applicant has stated that Miller does not disclose obtaining the channel impulse response for timing recovery. Lin discloses this feature.

3. Applicant's arguments filed July 25, 2006, regarding "the timing tracking process being paused during the retraining process" (Remarks, pages 13, 1st paragraph) has been fully considered but is not persuasive.

Funderburk discloses that the timing control is stopped during the training process (page 616, left column, lines 9+).

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-4,7-9,11-13, 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (US 4,453,259) in view of Funderburk et al. (Asynchronous timing recovery for passband PS-FSE for single-chip V.32 modems; IEEE GLOBECOM 1993; 29 Nov.-2 Dec. 1993; pages 614 620) and further in view of Lin et al. (Adaptive Nonlinear Decision Feedback Equalization with Channel Estimation and Timing Recovery in Digital Magnetic Recording Systems; IEEE Transactions on circuits and Systems, March 1995; which has been provided by the Applicant in his Information Disclosure Statement).

Regarding claim 1, Miller discloses a method for recovering digital data content in a communication system (Fig. 1; column 4, lines 10-15):

wherein the digital data content has been converted into an analog signal for transmitting from a transmitter to a receiver through a communication channel (Fig. 1; Fig. 2, element 26; column 4, lines 10-29; column 4, lines 44-47; wherein the analog signal is interpreted as the input signal 26 that is applied to the analog-to-digital converter 28);

Application/Control Number: 10/065,678

in Control Hamber: 10,000,0

Art Unit: 2611

the method comprising: receiving the analog signal by the receiver (Fig. 2, element 26 and 28);

converting the analog signal into a sampled digital signal, based on a local sampling clock (Fig. 2, elements 28 and 42; column 4, lines 44-54);

performing a interpolation process to interpolate the sampled digital signal at an interpolation point for generating an interpolated digital signal (Fig. 3, element 56; column 4, lines 55-65);

performing a timing tracking process to determine the interpolation point where the interpolation is to be taken at (Fig. 2, element 58; column 4, lines 55-65; wherein the timing tracking process is interpreted as the timing and control circuit) and determine whether or not the interpolation point is changed and different from the previous determined interpolation point (Fig. 3, element 86; column 5, lines 27-37; wherein determining if the interpolation point has changed is interpreted as incrementing or decrementing the up-down counter 86);

performing an update process if the interpolation point has been changed, wherein the update process comprises updating the filter coefficients used in the interpolation process according to the interpolation point (column 5, lines 54 – 68; wherein the updating the filter coefficients is interpreted as the ROM providing coefficient values to the multipliers when there is a change in the contents of the up-down counter).

Miller does not disclose obtaining the channel impulse response, using the interpolated signal and channel impulse response to detect the digital data, temporarily pausing the timing tracking process.

In the same field of endeavor, however, Funderburk discloses detecting the digital data content from the interpolated digital signal and the estimated coefficients of channel impulse response (Fig. 3; Fig. 4; wherein the detected data from the interpolated signal and channel impulse response is interpreted as the interpolation filter and passband PS-FSE being run before the Trellis decoder) and that while performing the retraining process, the timing tracking process optionally is temporarily stopped (page 616, left column, lines 9+).

Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made, to use the method, as taught by Funderburk, in the system of Miller because there would be negligible timing phase change and would enable data detection, as disclosed by Funderburk.

In the same field of endeavor, however, Lin discloses estimating a channel impulse response described by a set of coefficients based on the interpolated digital signal when the interpolation point is changed and performing a retraining process to update the set of coefficients of the channel impulse response, according to the interpolated digital signal (page 202, section B).

Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made, to use the method, as taught by Lin, in the system of Miller because this would result in the best sampling phase, as disclosed by Lin.

Regarding claim 2, Miller discloses an initialization process to produce an initial condition, wherein the initial condition includes initial filter coefficients used in the interpolation process (column 5, lines 54-68; Fig. 5; wherein the initial filter coefficients used in the interpolation process are interpreted as those provided by the ROM 110).

Miller does not disclose an initial set of coefficients for the channel impulse response.

In the same field of endeavor, however, Lin discloses obtaining an initial set of coefficients of channel impulse response (page 202, section B).

Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made, to use the method, as taught by Lin, in the system of Miller because this would result in the best sampling phase, as disclosed by Lin.

Regarding claim 3, Miller discloses the timing tracking process is operated, according to the interpolated digital signal, the detected digital data content, or a pilot signal containing timing information for determining the interpolation point (column 5, lines 10-18; Fig. 3; wherein the timing tracking process operating on the detected digital data

content is interpreted as the feedback 70 from element 66a to the timing and control circuit 58).

Regarding claim 4, Miller does not disclose that the timing tracking process uses the channel impulse response.

In the same field of endeavor, however, Lin discloses the timing tracking process is performed with the information of the estimated channel impulse response (page 202, section B).

Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made, to use the method, as taught by Lin, in the system of Miller because this would result in the best sampling phase, as disclosed by Lin.

Regarding claim 7, Miller does not disclose the timing tracking is restarted when the retraining process is finished.

In the same field of endeavor, however, Funderburk discloses that the timing tracking process is awakened when the retraining process accomplishes (page 616, 1st column, paragraph starting with "The basis of our algorithm.." – paragraph ending "... aspect of our timing algorithm"; wherein the timing tracking awakened is interpreted as the time

after the training period and the retraining process accomplishes is interpreted as the training period ending).

Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made, to use the method, as taught by Funderburk, in the system of Miller because this would enable continuous tracking of the clock drift after the training period.

Claims 8,9,11,12,13 are directed to method/steps of the same subject matter claimed in the apparatus claims 1,2,7,4,3 respectively and therefore, are rejected as explained in the rejections of claims 1,2,7,4,3 above.

Regarding claim 15, Miller discloses the interpolation unit includes a digital filter with finite-length filter coefficients (column 5, lines 54-68; wherein the finite length filter coefficients are interpreted as the four coefficients used).

Regarding claim 16, Miller discloses that the number of the filter coefficients is two (column 5, lines 22-26; Fig. 4).

Regarding claim 17, Miller discloses a time interval between two adjacent sampling clock points are evenly divided into a number of sub-time intervals, so that a set of time points is formed, the timing tracking unit tracks an actual interpolation point, chooses

the one of the set of the time points closet to the actual interpolation point, and outputs the chosen time point as the interpolation point to the interpolation unit (column 6, lines 9-47; wherein the sub-intervals are the N sub-intervals and the point chosen is the output of the interpolation filter y.sub.m.).

Page 9

5. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (US 4,453,259) in view of Funderburk et al. (Asynchronous timing recovery for passband PS-FSE for single-chip V.32 modems; Funderburk, D.M.; McLane, P.J.; Park, S.; IEEE GLOBECOM 1993; 29 Nov.-2 Dec. 1993; pages 614 – 620) and further in view of Lee et al. (Digital Communication; 1988, Kluwer Academic Publishers, pages 14-15) and Lin et al. (Adaptive Nonlinear Decision Feedback Equalization with Channel Estimation and Timing Recovery in Digital Magnetic Recording Systems; IEEE Transactions on circuits and Systems, March 1995; which has been provided by the Applicant in his Information Disclosure Statement).

Regarding claim 14, Miller is silent on the ADC having a sampling rate larger than the Nyquist rate.

In the same field of endeavor, however, Lee discloses that the ADC has a sampling rate larger than and close to a Nyquist rate of the received analog signal (page 15, Exercise 2-7).

Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made, to use the method, as taught by Lee, in the system of Miller because this enable the analog signal to be reconstructed from its samples for interpolation purposes.

Other Prior Art Cited

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adolf DSouza whose telephone number is 571-272-1043. The examiner can normally be reached on Monday through Friday from 8:00 AM to 5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad Ghayour can be reached on 571-272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Adolf DSouza Examiner Art Unit 2611

AD

MOHAMMED GHAYOUR L'ERVISORY PACENT EXAMINER